

Display screen for LCD Projector: Model -1 product description

- Actual Viewing Area 4ft.Height x 6ft.width with 84" Diagonal In 4:03 Ratio
- Imported Hygain fabric with 1.2 Gain with Back side Black Coated.
- Iron made Projector stand with Black Texture Powder Coated & Chrome total weight of Product 9 kg.
- Keeps Your Eyes Strain Free While Viewing, Comes With Anti Uv Coating To Protect Eyes.
- Ideal For Presentation, Meetings Rooms, Conference room, School, Colleges & Outdoor Purpose. Easy to carry anywhere.




Display screen for LCD Projector (Model 1) : Specifications

Brand	ELCOR
Model	EL-84IN-TPS
Item Weight	12 Kg
Product Dimensions	5 x 5 x 182 cm
Item model number	EL-84IN-TPS
Operating System	Manually operated
Processor Brand	ELCOR
Additional Features	Free Delivery (In all Over India), 4ft (height) x 6ft (width) Approx. 84" Diagonal In 4:03 Aspect Ratio with Heavy Tripod stand, Imported Hygain fabric 1.2 Gain, Keeps your eyes strain free while viewing, Ideal for presentation, Meeting rooms, Home Cinema,
Included Components	Projector screens Tripod stand
Image Contrast Ratio	4:03
Display Resolution Maximum	1080p Full HD
Batteries Included	No
Batteries Required	No
Material	Imported Hygain farbic In 1.2 Gain
Form Factor	Looking Like Excellent & lite weight
Media Type	HD & 3D Support

Display screen for LCD Projector: Model -2 product description

- Comes with ultra HD, 3d and 4k ready technology, compatible with all the projectors available in the market
- Best super gain matt white fabric with 1.2 gain, total weight of the product 10kgs
- Keeps your eyes strain proof while viewing, comes with anti UV coating to protect eyes
- Easy to use and low maintenance, 6feet (width) x 4feet (height), in 4:3 format, 84 inches/7 feet diagonal length, ideal for presentation, meetings rooms, home cinema
- Easy to clean super high gain fabric/material, black coated screen material from back side eliminates light penetration for superior colour reproduction, complimentary four side black masking borders enhances picture contrast



Display screen for LCD Projector (Model 2) : Specifications

Brand	Inlight
Model	ILT_6X4_T
Item Weight	10 Kg
Item model number	ILT_6X4_T
Compatible Devices	Compatible With all the Projectors Available in the Market
Additional Features	Comes With UHD, 3D and 4K Ready Technology, FOR MORE DETAILS KINDLY CONTACT NITIN ANAND AT 09810080112., Comes With Metal Tripod Stand, Compatible With all the Projectors Available in the Market
Included Components	Projector Screen & Tripod Stand
Display Resolution Maximum	Comes With Ultra HD, 3D and 4K Ready
Batteries Included	No
Batteries Required	No
Material	Imported Super High Gain Matt White Black Coated Fabric
Form Factor	Square Type Black Colour Housing

Mirror: Specifications (Model -1)

- Material - Premium Quality of Synthetic Fibre Wood Moulding of 1.5 inch width
- MDF Board Back Support
- Vertically Hanging Option
- Long lasting and Fine Quality Product
- Packing that helps ensure safe delivery of fragile and glass items.
- 3 ft width and height 6 ft



Mirror: Specifications (Model -2)

- Material - Premium Quality of Synthetic Fiber Wood Moulding of 1.5 inch width
- MDF Board Back Support
- Vertically Hanging Option
- Long lasting and Fine Quality Product
- Packing that helps ensure safe delivery of fragile and glass items.
- 3 ft width and height 6 ft



Chart stand: Specifications

- Telescopically Adjustable Legs for Height Adjustment. The Tripod Design Ensures Maxim Stability on Uneven Floor
- Incorporates 10mm Thick, High-gloss Dry Eras Marker Board With High Scratch-resistance and Easy Erasability
- Integral Pen Ledge (Bottom Accessory Tray) & Universal Flip-chart Clip Included. Stand Can be Used for Writing As Well As Presentation Purposes
- Fabricated Using Prime CR Steel Pipes For Better Strength and Aesthetics. Plastic Parts Molded Using Nylon and ABS. The Stand is Very Portable and Sturdy
- Stand Height 72 Inches, Board Dimensions: 24 x 36 Inches, Color: Cool Grey and White, Package Contents: 1 Flip-chart Stand with 1 White Board (Assembled)



MDR Electronics MX 10" MX 3710 Multimedia Trolley Bluetooth Speaker With USB Aux Input Wireless Microphone (Approx and estimate cost: Rs.6900/-)


Battery Backup - Up to 3 hrs. Output RMS - 75 RMS Watt Trolley Speakers Wireless Mic - Dual Cordless Mic System, Guitar Input Bluetooth , FM Radio, USB and SD card support .2 Wireless Microphone Free with this speaker

Can be connected with any audio/video device like Mobile / PC / Mp3 Player / DVD. Simply plug & play USB and SD card support

Power : AC 220 – 240V 50/60Hz

Dimensions : H – 66 x W – 43 x D – 40 (Cms)

In the Box : Power Cord, 2 X Wireless Microphone, Remote, Manual



MDR Electronics MX 10" MX 3710 Multimedia Trolley Bluetooth Speaker With USB Aux Input Wireless Microphone

Bass Hunter Trolley Portable Speaker 12 inch with 2 Wireless Microphone Remote Control Music System Set/FM Radio (PA System Portable) AUX/TF/USB # (Approx and estimate cost: Rs.10,990.00)

Full Functions- Support Bluetooth Connection, AUX/Micro SD/USB Input, FM Radio. Enjoy your favorite music in your phone or old music in the CD player. Plug in guitar or microphone to get your friends involved. Make it show time

Easy to Go- Telescoping Rear-Handle and wheels, easy to move or handle, equipped with wireless and remote control for great convenience.

Wireless Microphone Type: UHF, Frequency Range Microphone:15M,DC Supply:15Volt 2amp

Can be connected with any audio/video device like Mobile / PC / Mp3 Player / Laptop /DVD. Simply plug & play USB and SD card support. Battery Backup - Up to 5 hrs., Audio Wattage:600 Watts, Output RMS - 20 RMS Watt Trolley Speakers Wireless Mic - Dual Cordless Mic System, Guitar Input Bluetooth , FM Radio, USB and SD card support .2 Wireless Microphone Free with this speaker.

Box Content: Trolley Speaker, Power Cord, 2 X Wireless Microphone, Remote, Manual



BASS HUNTER
NEW PORTABLE KARAOKE TROLLEY SPEAKER
A1231

- 12" Speaker System
- FM Radio & USB Mp3 player
- Microphone Input Jack
- Remote Control
- 2 Microphone
- MIC, Echo & Volume Control
- Bass & Treble Controls
- Audio/ Line Input
- Rechargeable Battery
- Trolley Speaker

SPECIALLY DESIGNED KARAOKE SPEAKER ALSO USEFUL FOR PA

Television specifications: The specifications are suggestive and minimum bearing specifications. Hence while finalizing a particular model within the cost norm suggested, these specifications may be ensured. Estimated Rs.45,000/-

55 ' TV Specifications	
General	
Model Name	LTDN55XT780XWAU3D
Color	Black, Silver
Display Size	140 cm (55)
Screen Type	LED
HD Technology & Resolution	Ultra HD (4K), 3840 x 2160
3D	No
Smart TV	Yes
Curve TV	No
Series	Pixelight
Touchscreen	No
Motion Sensor	No
HDMI	3
USB	2
Wi-Fi Type	IEEE 802.11 b, g, n, ac
Built In Wi-Fi	Yes
Launch Year	2017
Internet Features	
Built In Wi-Fi	Yes
3G Dongle Plug and Play	No
Ethernet (RJ45)	1
Other Internet Features	Wi-Fi Bands: 2.4/5 GHz
	HDMI CEC
	Network Ethernet Port
Connectivity Features	
HDMI	4 Back
USB	2 or more Back
Component In (RGB Cable)	Component or Y Pb (Cb) Pr (Cr) Input: 1

RF Connectivity Input	RF Input: 1
Other Connectivity Features	Audio L/R for Component Input (Shared with AV Input): 1
	AV Input: 1
	USB Version: 2.0, 3.0
	Optical Digital Audio Output (SPDIF): 1
	Earphone Jack: 1
	HDMI Type 4K at 60 Hz with HDCP Version 2.2: HDMI 1, HDMI 2
	HDMI Type 1.4 with HDCP Version 1.4: HDMI 3, HDMI 4
	ARC -Audio Return Channel: HDMI 2
	CEC - Consumer Electronics Control via HDMI
Video Features	
Brightness	450 nits
Analog TV Reception	Color-sound Systems in VHF/UHF Band: PAL - D/K, B/G, I, Stereo Sound Decoder: A2/NICAM, Teletext/Teletext Signal Interruption (TAB Compliant)/16:9 TLTX, Subtitles
Digital TV Reception	Television System (DVB-T/DVB-T2), Video Decoder: MPEG 2/MPEG 4, AC3 Surround Sound Decoder, LCN - Logical Channel Number and DTV Service Name Support, Teletext/Teletext Signal Interruption (TAB Compliant)/16:9 TLTX, Subtitles, RF Signal Strength Indicator, RF Signal Quality Indicator
View Angle	178 degree
Panel Type	Ultra High Definition Panel
LED Display Type	DLED
Refresh Rate	60 Hz
Supported Video Formats	AVI, WMV, ASF, MP4, MOV, 3GP, MKV, MPG, MPEG, VOB, RM, WebM, VRO, OGM, FLV
Other Video Features	Response Time: 8 ms
	HEVC Function
	Decoder: H.265, H.264, MPEG4, MPEG2, DIVX
	Ultra Smooth Motion Rate
	Auto Backlight Scan
	4K Movies Support in USB Mode
	Video on Demand
	High Dynamic Range (HDR 10) & Free installation and service centre must be active and locally available

Camera specifications (still photography and 4K video): The specifications are suggestive and minimum bearing specifications. Hence while finalizing a particular model within the cost norm suggested, these specifications may be ensured. Estimated Rs.15,000/-

Specifications	
General	
Model Name	HDR-CX405
Type	Camcorder
Effective Pixel	9.2 MP
Maximum Shutter Speed	1/10000 sec
Sensor And Sensitivity Features	
Sensor Type	CMOS
Metering Modes	Multi-segment
Iris Control	Auto, Manual
Minimum Illumination	6 lux (1/30 Shutter Speed)
Other Sensor Features	Sensor Type: Exmor R CMOS
Focus Features	
Auto Focus	Yes
Manual Focus	Yes
Focus	Auto / Manual
Focusing System	Contrast AF
Digital Zoom	350x
Other Focus Features	Focus Area: Full Range Focus, AF Modes: Auto / Manual (Menu), Minimum Focus Distance: 1 cm (Wide), 80 cm (Tele) (13/32 inch - 31 1/2 inch), Focal Distance: f = 1.9 - 57.0 mm (3/32 - 2 1/4 inch)
Lens & Exposure Features	
Type of Lens	Carl Zeiss Vario Tessar
Lens Color Filter	RGB Primary Color Filters
Lens Focal Length	26.8 - 804 mm
Aperture Range	F1.8 - F4
Smile Shutter	Yes
Minimum Shutter Speed	1/30 sec sec

Shutter Speed In Different Modes	1920 x 1080 Full HD 60p with 9.2MP Exmor R CMOS Sensor, Self Recording: Yes, Video Playback Options: Highlight Movie Maker Highlight BGM (Preinstalled 6 Music Files, Music Transfer Compatible), Video Signal: HDTV, NTSC Color, EIA Standards, Movie Recording Rate(Average Bit Rate / VBR): (HD PS: 28 Mbps / FX: 24 Mbps / FH: 17 Mbps / HQ: 9 Mbps / LP: 5 Mbps, MP4: 3 Mbps, XAVC S HD: 50 Mbps), Photo Capture from Movie: 2.1 Megapixels 16:9 (1920 x 1080), Dual Record: (L: 9.2 Megapixels 16:9 (4032 x 2272), S: 2.1 Megapixels 16:9 (1920 x 1080)), Still Image Size (16:9): Movie Mode (L: 4032 x 2272 (9.2 M), S: 1920 x 1080 (2.1 M)), Video Actual (Pixel): 2290K Pixels (16:9), Dual Video Recording: Yes
Exposure Settings	Auto, Manual (Menu)
Other Exposure Features	Auto Iris Control: F1.8 - F10, Minimum Illumination: Standard: 6 lux (1/30 Shutter Speed), Low Lux: 3 lux (1/30 Shutter Speed), Gain Control: Auto, Low Lux Mode: Yes, Backlight Compensation: Yes (Auto), Noise Reduction: Yes, Manual Iris Control: F1.8 - F10
Other Lens Features	54x Clear Image Zoom to Get Even Closer to the Action, Manual / Auto Lens Cover: Manual, Clear Image Zoom: 60x, Focal Length (35mm Equivalent): (Movie Mode: f = 26.8 - 804.0 mm (1 1/16 - 31 3/4 inch) (16:9), Photo Mode: f = 26.8 - 804.0 mm (1 1/16 - 31 3/4 inch) (16:9), f = 32.8 - 984.0 mm (1 5/16 - 38 3/4 inch) (4:3)), 29.8 mm Wide-angle Carl Zeiss Lens
Modes And Functions	
HD Support	Yes
Self-timer	Yes
Red Eye Reduction	Yes
Other Features	Operating System Compatibility: Windows XP (SP3) / Vista (SP2) / 7 64-bit Editions and Starter (Edition) are not Supported, Windows Image Mastering API (IMAPI) Ver. 2.0 or Later is Required to Use the Function for Creating Discs, Starter (Edition) are Not Supported, Standard Installation is Required, Operation is Not Assured if the Above OS has been Upgraded or in a Multi-boot Environment, Supplied Software: (PC: Play Memories Home and Music Transfer (via Download), MAC: Music Transfer, PlayMemories Online Uploader, Wireless Auto Import (by Download)), Image Stabilization: Optical SteadyShot Image Stabilization with Intelligent Active Mode (Wide to Tele), Intelligent Auto: Portrait, Baby, Walk, Tripod, Backlight, Landscape, Spotlight, Twilight, Macro, Low Light, x.v.Color: Yes, Smile Shutter Technology: Dual Capture, Always On / Off, Airplane Mode: Yes, Motion Shot Video: Yes, Power Save Mode: Yes, Red-eye Reduction: Yes (On / Off), Media: Yes (Recordable Time, Free and Used Media Space), Battery Indicator: Yes (Remaining Capacity), Power Consumption (in Operation): LCD, HD (2.1 W), Wind Position: Yes (Off / On), Dimensions: 54.0 mm x 59.5 mm x 128.0 mm, Optical SteadyShot, Self Timer: 10 sec
White Balancing	White Balance Mode: Auto, Onepush, Outdoor, Indoor
Still Image Mode	JPEG
Drive Modes	Single Shot, Self-timer
Scene Modes	Auto, Night Scene, Sunrise and Sunset, Fireworks, Landscape, Portrait, Spotlight, Beach, Snow
Auto Mode	Yes
Audio And Video Features	
Video Format	Video Mode: (HD: MPEG4-AVC / H.264 AVCHD 2.0 Format, MP4: MPEG-4 AVC / H.264, XAVC S Format MPEG4-AVC / H264)

Recording Features	1920 x 1080 Full HD 60p with 9.2MP Exmor R CMOS Sensor, Self Recording: Yes, Video Playback Options: Highlight Movie Maker Highlight BGM (Preinstalled 6 Music Files, Music Transfer Compatible), Video Signal: HDTV, NTSC Color, EIA Standards, Movie Recording Rate(Average Bit Rate / VBR): (HD PS: 28Mbps / FX: 24 Mbps / FH: 17 Mbps / HQ: 9 Mbps / LP: 5 Mbps, MP4: 3 Mbps, XAVC S HD: 50 Mbps), Photo Capture from Movie: 2.1 Megapixels 16:9 (1920 x 1080), Dual Record: (L: 9.2 Megapixels 16:9 (4032 x 2272), S: 2.1 Megapixels 16:9 (1920 x 1080)), Still Image Size (16:9): Movie Mode (L: 4032 x 2272 (9.2 M), S: 1920 x 1080 (2.1 M)), Video Actual (Pixel): 2290K Pixels (16:9), Dual Video Recording: Yes
Audio Format	Dolby Digital 2ch Stereo, Dolby Digital Stereo Creator, MPEG-4 AAC-LC 2ch, MPEG-4 Linear PCM 2ch (48 kHz / 16 Bit)
Speaker	Monaural
Image Features	
Still Image Size	L: 4032 x 2272 (9.2 M), S: 1920 x 1080 (2.1 M)
Image Format	DCF Ver.2.0 Compatible, Exif Ver.2.3 Compatible, MPF Baseline Compatible
Image Stabilizer	Yes
Aspect Ratio	16:9, 4:3
Gross Pixel	2.51 Megapixel
Face Detection	Yes
Image Stabilizer	Optical Image Stabilization
Other Resolution Features	Effective Picture Resolution: 2290K Pixels (16:9) / 1710K Pixels (4:3), Video Resolution (HD: 1920 x 1080 / 60p (PS), 60i (FX, FH), 1440 x 1080 / 60i (HQ, LP), MP4: 1280 x 720 30p, XAVC S HD: 1920 x 1080 / 60p, 30p)
Storage & Power Features	
Upgradable Memory	Yes
Card Type	microSD / microSDHC / microSDXC, Memory Stick Micro
Power Supply	Battery Type: NP-BX1
Power Requirement	3.6 V (Battery Pack), 5.0 V (AC Adapter)
Other Storage Features	Media Type: (XAVC S HD: microSDXC Memory Card (Class10 or Higher), AVCHD, Still: Memory Stick Micro (Mark 2), microSD / microSDHC / microSDXC Memory Card (Class 4 or Higher))
Connectivity & Display Features	
Microphone Terminal	Yes
USB	Type A USB (Built-in) / 2.0 Hi-speed USB
HDMI	Micro HDMI
Display Size	2.7 inch
LCD Display	Clear Photo LCD
LCD Display Image Resolution	230,400 dots
LCD Display Video Resolution	1920 x 1080
Other Connectivity Features	Built-in USB Cable: Yes (USB Charge Available), HD Output: HDMI Out (Micro), Photo TV HD: Yes, USB Ports: Type A (Built-in) / USB2.0 Hi-speed (Mass Storage / MTP), Bravia Sync: Yes, SD Output: Composite Video Out, Mic Level Control: Yes (2 Steps)

Other Display Features	Date / Time Stamp: Yes (Rec Date and Time, Camera Info), Erase: Yes, Protect: Yes, Fader Effect: White / Black, View and Index: Event, Still Image Playback Options: Slide Show, Picture Effects: Yes, Coverage: 100 %, Angle Adjustment (Opening Angle: 90°, Turning Angle: 270°), Grid Display: Grid Line
Additional Features	
Processor	BIONZ X Image Processor
Wide Angle	Yes
Microphone	Built-in Zoom Microphone
OS	Windows XP (SP3) / Vista (SP2) / 7 64-bit
Red Eye Reduction	Yes
Brightness Adjustment	Brightness Control: Yes (Menu)
Supported Languages	English, Brazilian Portugese, Canadian French, Spanish

Camera stand: The specifications are suggestive and minimum bearing specifications. Hence while finalizing a particular model within the cost norm suggested, these specifications may be ensured. Estimated Rs. 3,000/-

General	
Sales Package	1 Tripod
Head Type	3-Way Pan Head
Tilt Angle	50
Head Mount Thread Size	1/4 inch
Quick Release Plate	Quick Release Mechanism
Leg Lock Type	Flip Lock
Independent Leg Spread	Yes
Leg Angles	25 degree
Leg Cross Section	Round
Pack of	1
Dimensions	
Weight	1300 g
Folded Length	420 mm
Warranty	
Warranty Summary	10 Days
Covered in Warranty	Manufacturing Defects
Not Covered in Warranty	Physical damage
Warranty Service Type	Replacement



Pin up Board (Display Board) The specifications are suggestive and minimum bearing specifications. Hence while finalizing a particular model within the cost norm suggested, these specifications may be ensured. Estimated Rs.2,000/-

- Aluminium Frame Blue (2 X 3) Feet
- Pin Up Board for Office
Lightweight Aluminium Frame
2X3 Feet



Water filter

USP for TATA Swach Desire Plus

1. First of its kind in the world – i.e. a gravity driven Desktop model Ultra filtration with higher life.
2. No running water supply or electricity required, works under gravity as sole energy.
3. Desire Plus's water holding capacity 27 Liters- Upper container upto 13 Liters & Lower container upto 14 liters
4. Desire Plus's purification cartridge made with UHF technology is light weight, all in one cartridge which meets the stringent standards of USEPA and/or NSF.
5. Water purifier's filter cartridge water purification capacity is upto 6000L or upto 18 months, depending on input water quality.
6. Purification technology used- Ultra hollow fiber with anti-biofouling property.
7. Product Dimension- Height x width x length- 600 x 286 x 356 (in mm)
8. Desire Plus cartridge can work at wide range of pH (5.5 – 9.0) and TDS (up to 1500 ppm)
9. Desire Plus's cartridge has anti-biofouling property – better life & less frequent need for intervention.
10. UHF cartridge's filtrate water flow rate- 4 to 5 liters per hour.
11. Desire Plus has scratch resistant sturdy body with direct tap fill option.
12. Desire Plus's UHF technology effectively removes 99.9999% bacteria (6 Log), 99.99% virus (4 log) 99.9% protozoan cysts (3 log) & thus provides complete safety against water borne diseases.
13. All the plastic parts used in TATA Swach Desire Plus is made up of Food Grade plastic and is Nontoxic.
14. Lowest cost per liter of water purified – 10 paisa/Ltr

INTRODUCING

TATA swach DESIRE+ WATER PURIFIER

NON ELECTRIC WATER PURIFIER

Lowest cost, 10 paise per litre

Dedh saal wala cartridge!

1.5 year cartridge life

Purifies upto 6000 litres

ज्यादा का वादा

₹ 3,200/-

27 LITRES

TOLL FREE: 1800-2-585858

S.No.	Item	Specifications
1	Vinyl boards with Alphabets, Numbers, Story	<p>Large Format ecosolvent printing, mat finish surface lamination with mounting on 3 mm polycarbonate sheet</p> <p>Titles/ Sizes: Alphabets : A to Z, Board of size not less than 1.20 M X 1.60 M (to fit in all Alphabets) including fixing to wall as directed by department.</p> <p>Large Format ecosolvent printing, mat finish surface lamination with mounting on 3 mm polycarbonate sheet</p> <p>Titles/ Sizes: Numbers 0 to 9 Board of size not less than 0.90 M X 1.20 M (to fit in numbers) including fixing to wall as directed by department.</p> <p>For further information on Vinyl board specifications and practical implementation in field to consult women development and child welfare department.</p>
2	White Board	<p>Display board of size 0.90 M X 1.20 M, on magnetic white board with special creative anodized high grade aluminum frame on four sides with cold pressing on 10 mm hard wood inside. *0.8 melamine coated laminated sheet on front side</p> <p>*Back side water proof GI mantel sheet * smooth surface for easy writing & cleaning * magnetic dry wipe surface *Economical writing surface *Does not accept magnet * light weight and easy fit *Four sides ABS corner with fixing clamps. * including supply of duster- two numbers, marker pens , six colours each one number , red, green, blue, red, violet and orange.</p> <p>*including fixing the board to the wall as per direction of the department in anganawadi centers.</p>
3	Animal Face Masks (Qty:5)	<p>One set of ten masks, made of 700 gaze LD foam sheet on which character shapes are printed in multi colour, dazdling and attractive. The character shapes are to be die - punched and elastic band to fit the child face (3-6 years perfectly).</p>

S.No.	Item	Specifications
4	Storage Cabinet	Storage Cabinet of size: 710 W x 535 D x 1800 H (Mm) •Corrosion free •No sharp corners •Four shelves •Double door •Branded lock arrangement •Keys in duplicate Weight – 23.9 Kgs, Tolerance + or – 5%
5	Kanjeera	1) Fibre Size 12" with Plastic Head 2) Weight: 500 Grams 3) Demensions: 30.5 X30.5 X 5.1 cm